

WHAT IS CLAIMED IS:

1. A document search method for finding a document relevant to a search condition from object documents as search objects, comprising the steps of:

acquiring a seed text which is inputted as the search condition;

partitioning the object document into a plurality of blocks;

calculating similarity of each block of the object document to the seed text;

comparing the calculated similarity with a preset threshold value and thereby judging whether or not each block is relevant to the seed text; and

calculating an inclusion degree of the object document including the blocks regarding the seed text based on the result of the judgment.

2. The document search method according to claim 1, further comprising the steps of:

calculating similarity of the object document to the seed text; and

displaying the calculated similarity of the object document to the seed text and the calculated inclusion degree of the object document regarding the seed text.

3. A document search device for finding a relevant document from object documents as search objects, comprising:

a seed text acquisition module which acquires

a seed text as a search condition;

a partitioning module which partitions the object document into a plurality of blocks;

a similarity calculation module which calculates similarity of each block of the object document to the seed text;

an inclusion degree calculation module which compares the calculated similarity of each block with a preset threshold value, thereby judges whether or not each block is relevant to the seed text, and calculates an inclusion degree of the object document including the blocks regarding the seed text based on the result of the judgment.

4. The document search device according to claim 3, further comprising:

a full-text search condition acquisition module which acquires a full-text search condition to be used for a full-text search of the object documents;

a full-text search condition analysis module which analyzes the acquired full-text search condition; and

a full-text search condition relevancy calculation module which executes a full-text search to each block based on the analyzed full-text search condition and thereby calculates relevancy of each block to the full-text search condition, wherein:

the inclusion degree calculation module calculates the inclusion degree of the object document

regarding the seed text by use of the full-text search condition relevancy of each block of the object document calculated by the full-text search condition relevancy calculation module and the similarity of each block of the object document to the seed text calculated by the similarity calculation module.

5. The document search device according to claim 3, further comprising a display module which places the object documents in order of the inclusion degree regarding the seed text or in order of similarity to the seed text and displays the order of the object documents.

6. A computer-readable record medium storing a program for instructing a computer etc. to execute a relevant document search method for finding a relevant document from object documents as search objects, wherein the relevant document search method comprises the steps of:

acquiring a seed text as a search condition for searching the object documents;

partitioning the object document into a plurality of blocks;

calculating similarity of each block of the object document to the seed text;

comparing the calculated similarity with a preset threshold value;

judging whether or not each block is relevant to the seed text based on the comparison and thereby

counting the number of blocks relevant to the seed text; and

calculating an inclusion degree of the object document regarding the seed text based on the counted number of the relevant blocks.

7. A document relevancy judgment method for judging relevancy of a previously stored object document to a seed text as a search condition, comprising the steps of:

partitioning the object document into a plurality of blocks;

calculating similarity of each block of the object document to the seed text;

comparing the calculated similarity with a preset threshold value and thereby judging whether or not each block is relevant to the seed text;

counting the number of blocks relevant to the seed text based on the judgment; and

calculating an inclusion degree of the object document including the blocks regarding the seed text based on the counted number of the relevant blocks.

8. The document relevancy judgment method according to claim 7, further comprising the steps of:

calculating similarity of the object document to the seed text;

displaying at least one of the calculated similarity of the object document to the seed text and the calculated inclusion degree of the object document

regarding the seed text.

9. The document relevancy judgment method according to claim 7, further comprising the steps of:

acquiring a full-text search condition for a full-text search of the object document;

calculating relevancy of each block of the object document to the acquired full-text search condition; and

judging whether or not each block of the object document is relevant to the search conditions by use of the calculated relevancy of the block to the full-text search condition and the calculated similarity of the block to the seed text.

10. A relevant document search method for finding a document from object documents as search objects, comprising the steps of:

acquiring a full-text search condition which is inputted as a search condition;

partitioning the object document into a plurality of blocks;

calculating similarity of each block of the object document to the full-text search condition;

comparing the calculated similarity with a preset threshold value and thereby judging whether or not each block is relevant to the full-text search condition; and

calculating an inclusion degree of the object document including the blocks regarding the full-text

search condition based on the result of the judgment.

11. The relevant document search method according to claim 10, further comprising the steps of:

calculating similarity of the object document to the full-text search condition; and

displaying the calculated similarity of the object document to the full-text search condition and the calculated inclusion degree of the object document regarding the full-text search condition.

12. The document search method according to claim 1, further comprising the steps of:

extracting character strings from the acquired seed text; and

extracting character strings from each block of the object document, wherein:

the similarity of each block of the object document to the seed text is calculated by comparing the character strings extracted from each block with the character strings extracted from the seed text.

13. The document search method according to claim 12, further comprising the steps of:

regarding each block as a relevant block to the seed text if the calculated similarity of the block is higher than a preset value;

counting the number of blocks judged as the relevant blocks; and

storing the counted number of relevant blocks.

14. The document search method according to claim

13, wherein the inclusion degree of the object document regarding the seed text is calculated from the stored number of relevant blocks and the total number of blocks included in the object document.

15. The document search device according to claim 4, further comprising a characteristic string extraction module which extracts characteristic strings from the seed text, wherein:

the characteristic string extraction module extracts characteristic strings also from each block of the object document, and

the similarity calculation module calculates the similarity of each block by comparing the characteristic strings extracted from the block with the characteristic strings extracted from the seed text, and

the inclusion degree calculation module regards each block as a relevant block if the similarity of the block is higher than a preset value and the full-text search condition relevancy of the block is higher than a preset value, counts the number of the relevant blocks included in the object document, and calculates the inclusion degree of the object document by use of the counted number of relevant blocks and the total number of blocks included in the object document.

16. A relevant document search device for finding a relevant document from object documents as previously

registered search objects, comprising:

a partitioning module which partitions the object document into a plurality of blocks;

a characteristic string extraction module which extracts characteristic strings from each block of the object document;

a block characteristic string storage module which stores the extracted characteristic strings associating them with each block;

a seed text acquisition module which acquires a seed text as a search condition;

a similarity calculation module which calculates similarity of each block to the seed text by comparing the characteristic strings of the block stored in the block characteristic string storage module with characteristic strings extracted from the seed text by the characteristic string extraction module;

an inclusion degree calculation module which counts the number of blocks having the similarity higher than a preset value and calculates an inclusion degree of the object document regarding the seed text based on the counted number of blocks and the total number of blocks included in the object document.

17. The relevant document search device according to claim 16, further comprising an output module which outputs at least one of the similarity calculated by the similarity calculation module and the inclusion



degree calculated by the inclusion degree calculation module.

18. A program for letting a document search system execute a process for finding a document relevant to a search condition from object documents as search objects, wherein the process comprises the steps of:

acquiring a seed text as the search condition;

partitioning the object document into a plurality of blocks;

calculating similarity of each block of the object document to the acquired seed text;

calculating an inclusion degree of the object document regarding the seed text by judging whether or not the similarity of each block of the object document is higher than a preset value.

19. The program according to claim 18, wherein the process further comprises the steps of:

analyzing a full-text search condition to be used for a full-text search of the object documents;

executing a full-text search to each block based on the analyzed full-text search condition and thereby calculating relevancy of each block to the full-text search condition; wherein:

the inclusion degree calculation step calculates the inclusion degree of the object document regarding the seed text by use of the full-text search

condition relevancy of each block of the object document calculated in the full-text search condition relevancy calculation step and the similarity of each block of the object document to the seed text calculated in the similarity calculation step.

20. The program according to claim 19, wherein the process further comprises the steps of:

placing the object documents in order of the inclusion degree regarding the seed text or in order of similarity to the seed text; and

displaying the order of the object documents.